

Scocca stampata in poliuretano schiumato a freddo. Tappezzato in Lanee Melange.




Piedino in polipropilene (PP) Grigio RAL 9022.

Basamento in tubo d'acciaio $\varnothing 14$ mm. Verniciatura possipoliestere a polveri. Nero RAL 9005 Bianco RAL 9016 o trattamento galvanico di Cromatura. In alternativa Basamento a 4 razze in alluminio spazzolato $\varnothing 840$ mm su piedini.


IBEBI srl_Via A.Manzoni, 27 Fossalta di Portogruaro VE_ITALIA_T. + 39 0421 244 264_ibebi.com_info@ibebi.com_P.iva 02911510275




ZEUS_1A




ZEUS_1B




ZEUS_4A



ZEUS_4B



ZEUS_4C



Certificato di conformità UNI EN 16139:2013, livello 1°.

Scocca con braccioli stampata in poliuretano schiumato a freddo. Tappezzato in Lanee Melange.

Supporto in alluminio spazzolato.

Colonna auto allineante \varnothing 50 mm rotazione 360°.




Piedino in polipropilene (PP) Grigio RAL 9022.

Basamento a 4 razze in alluminio spazzolato \varnothing 840 mm su piedini in polipropilene (PP) grigi RAL9022. In alternativa struttura in tubo d'acciaio \varnothing 14 mm. Verniciatura epossipoliestere a polveri. Nero RAL 9005 Bianco RAL 9016 o trattamento galvanico di cromatura.

ZEUS_2A



ZEUS_3A



ZEUS_2B



ZEUS_3B



ZEUS_2C



ZEUS_3C



Certificato di conformità UNI EN 16139:2013, livello 1°.

Moulded in cold-cure polyurethane shell.

Lanee Melange upholstery.

Polypropylene (PP) plug Grey




Steel pipe base \varnothing 14 mm. Epoxy powder painting.
Black RAL 9005
White RAL 9016
or galvanic treatment of chrome painting.


Available 4 stars bases \varnothing 840 mm in poli-




ZEUS_1A




ZEUS_1B




ZEUS_4A



ZEUS_4B



ZEUS_4C



Compliance certificate with UNI EN 16139:2013, level 1°.

Moulded in cold-cure polyurethane shell.

Polished aluminium support.

Self-aligning column \varnothing 50 mm, 360° rotation.




Polypropylene (PP) plug Grey RAL 9022.

4 stars bases \varnothing 840 mm in polished aluminium with polypropylene (PP) glides, grey RAL9022.
Available Steel pipe base \varnothing 14 mm.
Epoxy powder painting.
Black RAL 9005
White RAL 9016
or galvanic treatment of chrome painting.

ZEUS_2A



ZEUS_3A



ZEUS_2B



ZEUS_3B



ZEUS_2C



ZEUS_3C



Compliance certificate with UNI EN 16139:2013, level 1°.

